

Label & Packaging Template Guide

Hand this document to your designer. It covers what must appear on every research-peptide label we print for your brand, and how to prepare print-ready artwork for the vial label, syringe label, and retail box.

§ I — COMPLIANCE

Required on every label

- ☐ **Product / compound name**
Exactly as it appears on the Certificate of Analysis (e.g. BPC-157).
- ☐ **Strength**
Peptide quantity per vial in mg (e.g. 10 mg).
- ☐ **Research-use statement**
"For Research Use Only — Not for Human Consumption." Must be clearly legible; do not shrink it below the surrounding body text.
- ☐ **Lot / batch number**
Assigned by Noble Harbor at production. Reserve a clear space for it — we print it during filling; do not bake a fixed lot number into your artwork.
- ☐ **Net contents / vial size**
The vial volume (e.g. 3 mL / 5 mL / 10 mL).
- ☐ **Storage conditions**
Short storage line (e.g. "Store lyophilized; protect from light"). We can supply the standard wording for your compound.
- ☐ **Brand / distributor line**
Your brand name, and optionally a website or contact (e.g. "Distributed by Acme Health Co.").

PLEASE NOTE

This guide summarizes Noble Harbor's baseline requirements for research-use-only products and is not legal advice. Regulatory obligations can vary with your jurisdiction and sales channel — confirm final label copy with your own counsel.

§ II — VIAL LABEL

Artwork & print specification

FORMAT

Wrap-around label, applied to the vial body

COLOR

CMYK. Vector artwork preferred; raster at 300 DPI minimum

LOGO FILES

Vector (SVG / AI / EPS) or high-resolution PNG on transparent background

DIMENSIONS

Final dielines per vial size (3–30 mL) are issued with your order confirmation — **CONFIRM WITH YOUR ACCOUNT MANAGER**

BLEED & SAFE ZONE

3 mm bleed on all sides; keep text and logos 2 mm inside the trim

TYPE SIZE

No critical text below 5 pt; avoid thin white type on dark fills

Prefer to skip design entirely? The brand preview you configure during your application (logo + brand name placement) is enough — our team sets your label from it and sends a proof before production.

§ III — SYRINGE LABEL

Syringe label template

The same required elements (§ I) apply to syringe labels. The syringe dieline is being finalized — request the current template from your account manager and we'll include it with your order confirmation.

§ IV — RETAIL BOX

Retail box dieline

Custom-printed retail boxes are available as an add-on on any branded order (select "Add retail box packaging" when configuring). The box dieline is issued per vial size with your order confirmation — your Certificate of Analysis insert is included automatically.